FINAL EMERGENCY RESPONSE LETTER REPORT
SAVANNAH WAREHOUSE FIRE
SAVANNAH, CHATHAM COUNTY, GEORGIA
EPA CONTRACT NO. EP-W-05-054
TDD NO. TTEMI-05-001-0212

Revision 0

Prepared for

U.S. ENVIRONMENTAL PROTECTION AGENCY
Region 4, Emergency Response and Removal Branch
61 Forsyth Street, SW, 11th Floor
Atlanta, GA 30303

Prepared by

Tetra Tech Inc.
Superfund Technical Assessment and Response Team Region 4
1955 Evergreen Blvd., Building 200, Suite 300
Duluth, GA 30096

Contract No.	:	EP-W-05-054
TDD No.	:	TTEMI-05-001-0212
Date Prepared	:	March 7, 2014
EPA OSC	:	Mr. Terry Stilman
Telephone No.	:	(404) 562-8748
START III Task Order Manager	:	Christopher Jones
Telephone No.	:	(678) 775-3081

Prepared by	Reviewed by	Approved by
Christopher Jones	Paul E. Prys II	Andrew F. Johnson
START III Task Order Manager	START III Technical Reviewer	START III Program Manager

TETRA TECH

March 7, 2014

Mr. Terry Stilman
On-Scene Coordinator (OSC)
U.S. Environmental Protection Agency (EPA)
61 Forsyth Street, SW, 11th Floor
Atlanta, Georgia 30303

Subject: **Final Emergency Response Letter Report**
Savannah Warehouse Fire
Savannah, Chatham County, Georgia
EPA Contract No. EP-W-05-054
TDD No. TTEMI-05-001-0212

Dear Mr. Stilman:

The Tetra Tech Superfund Technical Assessment and Response Team (START) is submitting this letter report summarizing emergency response activities conducted on February 8 and 9, 2014 at the Savannah Warehouse Fire Response located in Savannah, Chatham County, Georgia. This report contains five enclosures. Enclosure 1 contains figures depicting the site location, site layout, and air monitoring locations. Enclosure 2 contains air monitoring summary tables. Enclosure 3 contains a photographic log of response activities. Enclosure 4 provides copies of Tetra Tech START's field logbook notes. Enclosure 5 contains a table of witnesses.

RESPONSE ACTIVITIES

On Saturday, February 8, 2014, U.S. Environmental Protection Agency (EPA) received notification of a fire involving 5,600 tons of palletized rubber blocks in Warehouse 3 located at the Georgia Port Authority's (GPA) Ocean Terminal, 950 West River Street, Chatham County, Savannah, Georgia. The coordinates for the site (as measured from the approximately center of the warehouse fire) is latitude 32.086336 degrees north and longitude -81.104519 degrees west (see Figures 1 and 2 in Enclosure 1). At the request of the Georgia Department of Natural Resources (DNR), Environmental Protection Division (EPD), EPA On-Scene Coordinator (OSC) Terry Stilman mobilized to the site on the afternoon of February 8, 2014. EPA requested Tetra Tech START to mobilize shortly thereafter to conduct air monitoring for airborne contaminants potentially migrating off-site from the smoke plume generated by the fire. The National Weather Service issued a dense smoke advisory for much of Chatham County due to the large smoke plume; however, no evacuations were initiated.

Local fire departments immediately responded to the fire. Firefighting efforts primarily consisted of placing a submersible pump into the Savannah River and spraying water onto the fire at a rate of 6,000 gallons per minute. Additionally, the U.S. Coast Guard assisted with response activities by placing absorbent booms around the drains to catch the runoff generated by firefighting activities. Containment boom was placed around the pier to protect outfalls as a secondary containment barrier.

Air Monitoring

At the request of EPA and GPA representatives, Tetra Tech START conducted mobile and stationary air monitoring for airborne contaminants potentially migrating off-site into residential neighborhoods from the

1955 Evergreen Blvd., Suite 300, Duluth, GA 30096
Tel 678.775.3080 Fax 678.775.3138
www.tetratech.com

smoke plume. Air monitoring was conducted for volatile organic compounds (VOC), lower explosive limit (LEL), hydrogen sulfide (H_2S), carbon monoxide (CO), and oxygen (O_2) using an AreaRAE and for particulates with a diameter of ten micrometers or less (PM_{10}) using a DataRAM. Air monitoring results were compared to the associated worker safety action levels (Occupational Safety and Health Administration [OSHA] permissible exposure limits [PELs] or American Conference of Industrial Hygienists [ACGIH] Threshold Limit Values [TLVs®]). Particulate monitoring levels for PM_{10} were compared to Air Quality Index values provided in the EPA Particulate Matter Fact Sheet for Fires for a one to three hour average in the unhealthy range. EPA established an action level of sustained readings (more than an anomalous, short-lived peak) of 300 micrograms per cubic meter ($\mu g/m^3$) for PM_{10} air monitoring. This action level was determined to be adequately protective of public health, but low enough to allow decision makers advanced warning of particulate levels that may be increasing to unhealthy levels at which the need for evacuations would be reevaluated. Environmental International Corporation (EIC), the GPA-procured environmental consultant, provided additional mobile air monitoring support using an AreaRAE equipped with VOC, LEL, CO, H_2S, and O_2 sensors. Roving and stationary air monitoring activities were conducted in Level D personal protective equipment. The Savannah Police Department escorted Tetra Tech START and EIC to the mobile air monitoring locations.

Roving air monitoring was conducted at six locations off-site in residential neighborhoods located west and southeast of the fire. AreaRAEs and DataRAMs were used to conduct real-time monitoring at each location. Roving air monitoring locations and results are provided in Figure 4 of Enclosure 1 and the summary tables in Enclosure 2. A summary of the roving monitoring results and the locations from which they were collected are as follows:

- Roving air monitoring was conducted near the Hudson Hill Community Center located at 2227 Hudson Street. No detections above the associated PELs, TLVs, or particulate monitoring action level were observed at this location during air monitoring activities.
- Roving air monitoring was conducted in the Hudson Hill community at the intersection of Tuten Street and Krenson Street. No detections above the associated PELs, TLVs, or particulate monitoring action level were observed at this location during air monitoring activities.
- Roving air monitoring was conducted in the Yamacraw Village community at the intersection of Fahm Street and Zubley Street. No detections above the associated PELs, TLVs, or particulate monitoring action level were observed at this location during air monitoring activities.
- Roving air monitoring was conducted in the Fellwood Homes community at the intersection of Exley Street and Ferrill Street. No detections above the associated PELs, TLVs, or particulate monitoring action level were observed at this location during air monitoring activities.
- Roving air monitoring was conducted near the Moses Jackson Activity Center located at 1410 Richards Street. No detections above the associated PELs, TLVs, or particulate monitoring action level were observed at this location during air monitoring activities.
- Roving air monitoring was conducted near the Woodville Community Center located at 129 Darling Street. No detections above the associated PELs, TLVs, or particulate monitoring action level were observed at this location during air monitoring activities.

Stationary air monitoring was conducted at two locations: the "warehouse location" and the "southeast/downwind location". AreaRAEs and DataRAMs linked to Viper, EPA's remote monitoring system, were deployed to these locations. Stationary Viper air monitoring locations and results are provided in Figure 3 of Enclosure 1 and the summary tables in Enclosure 2. A description of the stationary monitoring locations and a summary of the air monitoring results are as follows:

- The "warehouse location" was located on the southwest side of the Warehouse 2, approximately 500 feet southwest (downwind) of firefighting activities at Warehouse 3. No detections above the

associated PELs, TLVs, or particulate monitoring action level were observed at this location during air monitoring activities.

- The "southeast/downwind location" was located approximately 1,500 feet southeast (downwind) of the fire in Warehouse 3. Due to intermittent signal issues, the air monitoring equipment at this location was moved approximately 50 feet to the northeast. No detections above the associated PELs, TLVs, or particulate monitoring action level were observed at this location during air monitoring activities.

According to EIC, the GPA-procured environmental consultant, slightly less than half of the 100,000 square feet of Warehouse 3 was destroyed by the fire (see Figure 2 in Enclosure 1). At the time of the fire, 5,600 tons of bulk natural rubber was present in the warehouse; however, only an estimated 1,800 tons was burned and subsequently destroyed by the fire. The cause of the fire is currently being investigated and not available at the time this report was submitted.

At approximately 11:00 hours on February 9, 2014, the fire was mostly contained with only minor amount of visible smoke. OSC Stilman reviewed the air monitoring data and determined that the small plume no longer posed a threat to the public. Tetra Tech START was directed to retrieve air monitoring equipment. At 12:30 hours, Tetra Tech START demobilized from the site.

If you have any questions regarding this report or the response, please call me, Chris Jones, at (678) 775-3081.

Sincerely,

Christopher Jones
Tetra Tech START III Task Order Manager

Andrew F. Johnson
Tetra Tech START III Program Manager

Enclosures (5)

cc: Katrina Jones, EPA Project Officer
Angel Reed, START III Document Control Coordinator

ENCLOSURE 1

FIGURES

(Four Pages)

Figure

1	Site Location
2	Site Layout
3	Stationary Viper Air Monitoring Locations and Results
4	Roving Air Monitoring Locations and Results



N
W E
S

0 1,000 2,000
Feet

Map Source:
USGS 7.5 Minute Topographic Quadrangle Map:
Garden City, GA, SC 1980 & Savannah, GA-SC 1971

United States Environmental Protection Agency Region 4

FIGURE 1

Site Location

TDD Name: Savannah Warehouse Fire

TDD No.: TTEMI-05-001-0212

City:	County:	State:
Savannah	Chatham	Georgia

TETRA TECH

Date: 2/24/2014
Analyst: dale.vonbusch

File: L:\TTEMI-05-001-0212_Savannah_Warehouse_Fire\GIS\MXDs\Site_Location\Fig1_SiteLocation_022414.mxd

File: L:\TTEMI-05-001-0212_Savannah_Warehouse_Fire\GIS\MXDs\Site_Layout\Fig2_SiteLayout_11x17_022414.mxd



Legend

- Viper Air Monitoring Location
- Fire Damaged Portion of Warehouse
- Georiga Ports Authority, Ocean Terminal Property Boundary

N W E S

0 150 300
Feet

Notes:
CO - Carbon monoxide
H_2S - Hydrogen sulphide
LEL - Lower explosive limit
O_2 - Oxygen
ppm - Parts per million
ug/m3 - micrograms per cubic meter
VOCs - Volatile organic compounds

Map Source:
Aerial Imagery:Bing Maps Hybrid, 2010-2012.



United States Environmental Protection Agency Region 4

FIGURE 3

Stationary Viper Air Monitoring Locations and Results

TDD Name: Savannah Warehouse Fire

TDD No.: TTEMI-05-001-0212

City: Savannah **County:** Chatham **State:** Georgia

TETRA TECH

Date: 2/24/2014

Analyst: dale.vonbusch

File: L:\TTEMI-05-001-0212_Savannah_Warehouse_Fire\GIS\MXDs\Air_Monitoring\Fig3_ViperAir_022414.mxd

Hudson Hill Community Center

Air Monitoring Results			
Instrument	Analyte	Range	
AreaRAE	CO	0	ppm
AreaRAE	VOCs	0 - 0.1	ppm
AreaRAE	H_2S	0	ppm
AreaRAE	LEL	0%	
AreaRAE	O_2	20.9 - 21.3%	
Data Ram	PM-10	21.3 - 27.6	µg/m3

Hudson Hill Community

Air Monitoring Results			
Instrument	Analyte	Range	
AreaRAE	CO	0 - 1	ppm
AreaRAE	VOCs	0.1	ppm
AreaRAE	H_2S	0	ppm
AreaRAE	LEL	0%	
AreaRAE	O_2	20.9 - 21.3%	
Data Ram	PM-10	28.8 - 31.7	µg/m3

Woodville Community Center

Air Monitoring Results			
Instrument	Analyte	Range	
AreaRAE	CO	0	ppm
AreaRAE	VOCs	0 - 0.1	ppm
AreaRAE	H_2S	0	ppm
AreaRAE	LEL	0%	
AreaRAE	O_2	20.9 - 21.3%	
Data Ram	PM-10	20.2 - 21.5	µg/m3

Moses Jackson Activity Center

Air Monitoring Results			
Instrument	Analyte	Range	
AreaRAE	CO	0 - 1	ppm
AreaRAE	VOCs	0.1 - 2.0	ppm
AreaRAE	H_2S	0	ppm
AreaRAE	LEL	0%	
AreaRAE	O_2	20.9%	
Data Ram	PM-10	27.2 - 30.1	µg/m3

Fellwood Homes

Air Monitoring Results			
Instrument	Analyte	Range	
AreaRAE	CO	0 - 1	ppm
AreaRAE	VOCs	0.1	ppm
AreaRAE	H_2S	0	ppm
AreaRAE	LEL	0%	
AreaRAE	O_2	20.9 - 21.3%	
Data Ram	PM-10	35.9 - 40.3	µg/m3

Yamacraw Village

Air Monitoring Results			
Instrument	Analyte	Range	
AreaRAE	CO	0 - 1	ppm
AreaRAE	VOCs	0.1 - 2.0	ppm
AreaRAE	H_2S	0	ppm
AreaRAE	LEL	0%	
AreaRAE	O_2	20.9%	
Data Ram	PM-10	35.9 - 40.3	µg/m3

Legend

- Roving Air Monitoring Location
- Fire Damaged Portion of Warehouse
- Georiga Ports Authority, Ocean Terminal Property Boundary

N W E S

0 0.1 0.2 Miles

Notes:
CO - Carbon monoxide
H_2S - Hydrogen sulphide
LEL - Lower explosive limit
O_2 - Oxygen
ppm - Parts per million
ug/m3 - micrograms per cubic meter
VOCs - Volatile organic compounds

Map Source:
Aerial Imagery:Bing Maps Hybrid, 2010-2012.



United States Environmental Protection Agency Region 4

FIGURE 4

Roving Air Monitoring Locations and Results

TDD Name: Savannah Warehouse Fire

TDD No.: TTEMI-05-001-0212

City:	County:	State:
Savannah	Chatham	Georgia

TETRA TECH

Date: 2/19/2014

Analyst: dale.vonbusch

File: L:\TTEMI-05-001-0212_Savannah_Warehouse_Fire\GIS\MXDs\Air_Monitoring\Fig4_RovingAir_021914.mxd

ENCLOSURE 2

TABLES

(One Page)

Table

1	Air Monitoring Summary Tables

Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

Project Name: Savannah Rubber Fire

Date: February 9, 2014

Time: 3:13 AM - 11:10 AM

SE/Downwind							
Instrument	**Analyte**	**Period Average Exceedances**	**Number of Readings**	**Number of Detections**	**Concentration Range**	**Period Average**	**Action Level (PEL/TLV)**
Area Rae	VOCs	No	559	499	0 - 5.1 ppm	2.04 ppm	5 ppm
	CO	No	559	5	0 - 5.2 ppm	0.036 ppm	50 ppm
	H_2S	No	559	15	0 - 0.1 ppm	0.003 ppm	20 ppm
	O_2	No	559	558	20.3 - 20.9%	20.64%	<19.5 or >23%
	LEL	No	559	0	0%	0%	10%
Data Ram	PM-10	No	434	434	29.9 - 174.7 ug/m3	68.16 ug/m3	300

Warehouse Location							
Instrument	**Analyte**	**Period Average Exceedances**	**Number of Readings**	**Number of Detections**	**Concentration Range**	**Period Average**	**Action Level (PEL/TLV)**
Area Rae	VOCs	No	483	378	0 - 5.1 ppm	2.27 ppm	5 ppm
	CO	No	483	79	0 - 25 ppm	1.04 ppm	50 ppm
	H_2S	No	483	0	0 ppm	0 ppm	20 ppm
	O_2	No	483	478	20.9 - 21.5%	20.98%	<19.5 or >23%
	LEL	No	483	0	0%	0%	10%
Data Ram	PM-10	No	479	479	42.4 - 132.9 ug/m3	75.47 ug/m3	300

Roving Locations (1:27 - 2:00 AM)							
Instrument	**Analyte**	**Period Average Exceedances**	**Number of Readings**	**Number of Detections**	**Concentration Range**	**Period Average**	**Action Level (PEL/TLV)**
Area Rae	VOCs	No	6	6	0.1 - 2.0 ppm	0.43 ppm	5 ppm
	CO	No	6	3	0 - 1 ppm	0.5 ppm	50 ppm
	H_2S	No	6	0	0 ppm	0 ppm	20 ppm
	O_2	No	6	6	20.9 - 21.3%	20.97%	<19.5 or >23%
	LEL	No	6	0	0%	0%	10%
Data Ram	PM-10	No	6	6	21.5 - 35.9 ug/m3	29.1 ug/m3	300

Roving Locations (7:15 - 7:50 AM)							
Instrument	**Analyte**	**Period Average Exceedances**	**Number of Readings**	**Number of Detections**	**Concentration Range**	**Period Average**	**Action Level (PEL/TLV)**
Area Rae	VOCs	No	6	3	0 - 0.1 ppm	0.06 ppm	5 ppm
	CO	No	6	1	0 - 1 ppm	0.166 ppm	50 ppm
	H_2S	No	6	0	0 ppm	0 ppm	20 ppm
	O_2	No	6	6	20.90%	20.90%	<19.5 or >23%
	LEL	No	6	0	0%	0%	10%
Data Ram	PM-10	No	6	6	20.2 - 40.3 ug/m3	30.2 ug/m3	300

Notes:

<	Less than
CO	Carbon monoxide
H_2S	Hydrogen sulfide
LEL	Lower explosive limit
NA	Not Applicable
O_2	Oxygen
PM-10	Particulate matter with an average diameter less than 10 microns
ppm	Parts per million
ug/m3	micrograms per cubic meter
VOC	Volatile organic compounds

ENCLOSURE 3

PHOTOGRAPHIC LOG

(Six Pages)

OFFICIAL PHOTOGRAPH NO. 1
U.S. ENVIRONMENTAL PROTECTION AGENCY

TDD Number:	TTEMI-05-001-0212	**Location:**	950 West River Street
Orientation:	Southeast	**Date:**	February 9, 2014
Photographer:	John Snyder, Tetra Tech	**Witness:**	Paul Prys, Tetra Tech

Subject: Tetra Tech Superfund Technical Assessment and Response Team (START) arrived at the Georgia Port Authority's (GPA) Ocean Terminal on the evening of February 8, 2014. The facility had been burning for the previous 12 hours. The fire had been mostly contained by the time Tetra Tech START arrived at the site.



OFFICIAL PHOTOGRAPH NO. 2
U.S. ENVIRONMENTAL PROTECTION AGENCY

TDD Number:	TTEMI-05-001-0212	**Location:**	950 West River Street
Orientation:	Southwest	**Date:**	February 9, 2014
Photographer:	Paul Prys, Tetra Tech	**Witness:**	John Snyder, Tetra Tech

Subject: Tetra Tech START was directed to conduct air monitoring at two fixed, downwind locations using the EPA remote monitoring system, Viper. A Viper-linked AreaRAE and DataRAM were deployed at the warehouse location to monitor for volatile organic compounds (VOC), lower exposure limit (LEL), hydrogen sulfide (H_2S), oxygen (O_2), carbon monoxide (CO), and particulate matter of ten microns or less (PM10) in diameter.

OFFICIAL PHOTOGRAPH NO. 3
U.S. ENVIRONMENTAL PROTECTION AGENCY

TDD Number:	TTEMI-05-001-0212	**Location:**	950 West River Street
Orientation:	East	**Date:**	February 9, 2014
Photographer:	Paul Prys, Tetra Tech	**Witness:**	John Snyder, Tetra Tech

Subject: The second fixed, downwind location was located approximately 1,500 feet southeast of the fire. A Viper-linked AreaRAE and DataRAM were deployed at the southeast/downwind location to monitor for VOCs, LEL, H2S, O2, CO, and PM10. Due to intermittent signal issues, the air monitoring equipment was moved to this location, approximately 50 feet northeast of the original location.

OFFICIAL PHOTOGRAPH NO. 4
U.S. ENVIRONMENTAL PROTECTION AGENCY

TDD Number:	TTEMI-05-001-0212	**Location:**	950 West River Street
Orientation:	East	**Date:**	February 9, 2014
Photographer:	John Snyder, Tetra Tech	**Witness:**	Paul Prys, Tetra Tech
Subject:	A submersible pump was placed in the Savannah River allowing firefighters to put water on the fire at a rate of 6,000 gallons per minute.		

OFFICIAL PHOTOGRAPH NO. 5
U.S. ENVIRONMENTAL PROTECTION AGENCY

TDD Number:	TTEMI-05-001-0212	**Location:**	950 West River Street
Orientation:	Northwest	**Date:**	February 9, 2014
Photographer:	Paul Prys, Tetra Tech	**Witness:**	John Snyder, Tetra Tech

Subject: By the morning of February 9, 2014, the fire was predominantly contained by fire fighters with only a few smoldering debris piles continuing to generate a visible plume.

OFFICIAL PHOTOGRAPH NO. 6
U.S. ENVIRONMENTAL PROTECTION AGENCY

TDD Number:	TTEMI-05-001-0212	**Location:**	950 West River Street
Orientation:	Southeast	**Date:**	February 9, 2014
Photographer:	John Snyder, Tetra Tech	**Witness:**	Paul Prys, Tetra Tech

Subject: Fire fighters continued to spray a water and foam mixture onto the smoldering areas into the morning of February 9, 2014. At approximately 11:00 hours, based on visual and air monitoring results, OSC Stilman determined the small plume was no longer a threat to the public and air monitoring activities were terminated. Tetra Tech START demobilized shortly thereafter.

ENCLOSURE 4

FIELD LOGBOOK NOTES

(Seven Pages)

Rite in the Rain®
ALL-WEATHER WRITING PAPER

Name Tetra Tech

Address 1955 Evergreen Blvd
Building 200, Suite 300

Phone 678-775-3080

Project Savannah Warehouse
Fire

TDD No. TTEMS-05-001-0212

Clear Vinyl Protective Slipcovers (Item No. 30) are available for this style of notebook.
Helps protect your notebook from wear & tear. Contact your dealer or the J. L. Darling Corporation

CONTENTS

PAGE	REFERENCE	DATE

February 9, 2014 Pegs, Snyder

2250 Arrived at the Ocean Terminal Admin Bldg. OSC Stillman, GA Ports Authority (GPA) Natalie Dawn, GA EPD Michelle Cortes, Coast Guard Sgt Robert Benton, and, McCafferty, OSC Stillman updated start on site activities and began looking at locations to conduct stationary air monitoring and possible mobile air monitoring.



Scale: 1 square = _____

Feb 9 2014

0015 - QSI Chorlier on site w/ air monitoring equipment.

Game Plan: Will deploy one DetRAM/AREARAE combo at roving locations and two combos @ fixed on-site locations. Roving locations:

RL01 - Yamacraw Village; intersection of Fahm Street + Zubley

RL02 - Fellwood Homes; intersection of Exley St + Ferrell Street

RL03 - Moses Jackson Community Center 1410 Richards St

RL04 - Hudson Hill Community Center - 2227 Hudson Street

RL05 - Hudson Hill Community - Tuten St + Kramer St

RL06 - Woodville Community Center - 129 Darling St

EPA AreaRAE #3: Roving AreaRAE

Bump Test: Pine S-gas Lot# 1500915 Cyl 34

CO 41(50) 45(50) VOC 103(100) H_2S: 10(10)

LEL 49(50) O_2: 18.2(18.0)

Scale: 1 square = _____

Rite in the Rain

Feb 9 2014

AREARAE #4 calibration

CO: 43(50)48 VOC: 100(100) H_2S: 10(10)

LEL: 51(50) O_2: 18(18)

AREARAE #2 calibration

CO: 50(50) VOC: 100(100) H_2S: 9(10)

LEL: 46(50) O_2: 18(18)

0100 - Will Grant (PRP Contractor) w/ Environmental Int'l Corp on site to conduct air monitoring as well

Roving Monitoring w/ Savannah PD

@ Fahm + Zubley: 0127 (RL01)

CO: 1 VOC: 0.2 H_2S: 0

LEL: 0 O_2: 20.9

PM_{10}: 35.9 µg/m³

@ Ferrell + Exeley: 0133 (RL02)

CO: 1 ppm VOC: 0.1 ppm H_2S: 0 ppm

LEL: 0% O_2: 21.3%

PM_{10}: 30.7 µg/m³

Moses Jackson Activity Center: 0140 (RL03)

CO: 0 ppm VOC: 0.2 ppm H_2S: 0 ppm

LEL: 0% O_2: 20.9%

PM_{10}: 30.1 µg/m³

Feb 9, 2014

Treton + Kronson St: 0145 (RL05)

CO: 1 ppm VOC: 0.1 ppm H_2S: 0 ppm

LEL: 0% O_2: 20.9%

PM_{10} 28.8 µg/m³

Hudson Hill Community Center: 0150 (RL04)

CO: 0 ppm VOC: 0.1 ppm H_2S: 0 ppm

LEL: 0% O_2: 20.9% PM_{10}: 27.6 µg/m³

Woodville Community Center: 0200 (RL06)

CO: 0 ppm VOC: 0.1 ppm H_2S: 0 ppm

LEL: 0% O_2: 20.9% PM_{10}: 21.5 µg/m³

0215 - Finished Roving Monitoring w/ Officer Eric Loughrey of Savannah Chatham P.D.; JVS Snyder back to Command Post

GPS Locations for Roving:

RL01:	32°04'51"	81°06'02"
RL02:	32°05'07"	81°06'52"
RL03	32°05'06"	81°07'04"
RL04	32°05'34"	81°07'36"
RL05	32°05'31"	81°07'18"
RL06	32°05'17"	81°08'31"

0230 START PAYS AND OSI Charlie Parker departed site office to deploy AREARAES and DATARAMS.

Feb 9 2014

0300 START Pegs and QSI Parker returned to site office.

0321: Snyder + OSC Stilman conduct perimeter PM_{10} monitoring

* 200' N of building : 33.8 ug/m^3
* 200' W of building : 32.7
* 200' NE of building : 164.4
* 150' E of building : 35.3

0700 - Will Grant w/ EIC returns on-site. Grant + Snyder to conduct second round of running air monitoring

0715 - @ RL01 (Fahm + Zubly)
CO: 0 ppm VOC: 0.1 ppm H_2S: 0 ppm
LEL: 0% O_2: 20.9% PM_{10}: 40.4 ug/m^3

0725 - @ RL02 (Exley + Ferrill)
CO: 0 ppm VOC: 0.1 ppm H_2S: 0 ppm
LEL: 0% O_2: 20.9% PM_{10}: 40.3 ug/m^3

0730: @ RL03 (Moses Jackson)
CO: 0 ppm VOC: 0.1 ppm H_2S: 0 ppm
LEL: 0% O_2: 20.9% PM_{10}: 27.2 ug/m^3

0737: @ RL04 (Hudson Hills Comm. Center)
CO: 0 ppm VOC: 0 ppm H_2S: 0 ppm
LEL: 0% O_2: 20.9% PM_{10}: 21.3 ug/m^3

Scale: 1 square = _____

Feb 9 2014

0745 - @ RL05 (Hudson Hills Community)
CO: 0 ppm VOC: 0.1 ppm H_2S: 0 ppm
LEL: 0% O_2: 20.9% PM_{10} 31.7 ug/m^3

0750: @ RL06 (Woodville Comm. Center)
CO: 0 ppm VOC: 0 ppm H_2S: 0 ppm
LEL: 0% O_2: 20.9% PM_{10}: 20.2 ug/m^3

0805 - EIC Grant + START Snyder back on site

LATE NOTE: At 0420, START Pegs and QSI Parker departed site office to place the heaters on the data rams. The warehouse monitoring location (32.085655, -81.107513) remained the same, but the down gradient fence line AGSA (32.081829, -81.103760) was moved to 32.081646, -81.103134 to improve reception for signal strength. Warehouse location included the following equipment: AreaRae 1, Link 230; Data Ram D707, Link 228; and Gateway EPAGRT 28. The down gradient location included: AreaRae 4, Link 229; Data Ram D711, Link 140; Gateway EPAGRT 83. At 0505, START Pegs and QSI Parker returned to site office.

Scale: 1 square = _____

Rite in the Rain

Feb 9 2014

0845- START Prys + QSI Parker — change batteries in fixed station DataRAM/AreaRAE locations.
0915 START Prys and QSI Parker returned to the site office. The generator at the warehouse location ran out of gas and the heater on the DATARAM was no longer operational. The generator at the down gradient location was still running, but was turned off because it was almost out of gas and the thick fog in the area had lifted.
1100- START/QSI/EPO/OSC meet to discuss near future plan. START/QSI will pack up air monitoring equipment and prepare to demobe. OSC Stallman recommends START/QSI standby until he meets w/ GPA personnel to discuss EPA role in near future
1115- Viper shut down
1125- START Snyder spoke w/ GPA Sarah Killeen (912-663-1004), Insurance Manager. Ms Killeen confirmed total building

Scale: 1 square = _____

Feb 9 2014

area to be ≈ 226,000 ft², approx. — half of which completely burned on (113,000 ft²). Confirmed burned material was "palletized raw rubber"; solid blocks of material used in manufacturing. Could not speculate on cause; confirmed fire called in on 2/8/14 around 1130.
1200- All parties demobe from site (EPA, START, QSI)
1630- START back at Duluth office -



Scale: 1 square = _____

End
2/9/14



Scale: 1 square = _____

Georgia Ports Authority

DAWN
Natalie M. ~~Schanze~~
Environmental Sustainability Manager

P.O. Box 2406
Savannah, GA 31402 USA
www.gaports.com

Toll Free (in U.S.): 800.342.8012
Cell: 912.247.3054
Fax: 912.964.3918

NDAWN
~~nschanze~~@gaports.com

Call Direct: 912.963.5595

Georgia Ports Authority

Griffith Lynch
Chief Operating Officer

P.O. Box 2406
Savannah, GA 31402 USA
www.gaports.com

Toll Free (in U.S.): 800.342.8012
Cell: 912.508.1783
Fax: 912.966.3615

glynch@gaports.com

Call Direct: 912.964.3955

Georgia Ports Authority

Sarah Killeen, ARM
Insurance Manager

P.O. Box 2406
Savannah, GA 31402 USA
www.gaports.com

Toll Free (in U.S.): 800.342.8012
Cell: 912.663.1004
Fax: 912.966.3609

skilleen@gaports.com

Call Direct: 912.964.3901

Scale: 1 square = _____

Rite in the Rain

DEPARTMENT OF NATURAL RESOURCES
Environmental Protection Division
Coastal District

Michelle Cortes
Environmental Emergency Specialist
400 Commerce Center Drive
Brunswick, GA 31523-8251

Office: (912) 264-7284
Cell: (404) 535-9309
Fax: (912) 262-3160

Report Spills: 1-800-241-4113 (24 Hours)
E-mail: michelle.cortes@dnr.state.ga.us Website: www.gaepd.org
E-mail fax: 912-717-6419

WILL GRANT, EIT

Environmental International Corporation
161 KIMBALL BRIDGE ROAD SUITE 100 ALPHARETTA GA 30009 U S A
PHONE 770 / 772-7100 EXT 227 FAX 770 / 772-0555
WEBSITE WWW.EICUSA.COM EMAIL WGRANT@EICUSA.COM

OUR CONTRIBUTION TO THE ENVIRONMENT

SAVANNAH CHATHAM POLICE
Chief Willie C. Lovett

Eric Loughrey
Police Officer
102 E Lathrop Ave
Savannah, Georgia

(912) 651-6990
(248) 918-7143
www.scmpd.org

Sca



Scale: 1 square = _____

Rite in the Rain

ENCLOSURE 5

TABLE OF WITNESSES

(One Page)

TABLE OF WITNESSES
SAVANNAH WAREHOUSE FIRE
SAVANNAH, CHATHAM COUNTY, GEORGIA

Mr. Terry Stilman
On-Scene Coordinator
U.S. Environmental Protection Agency
61 Forsyth Street, SW
11th Floor
Atlanta, GA 30303
E-mail Address: Stilman.Terry@epa.gov
Telephone No.: (404) 562-8748

Mr. Paul Prys
Site Manager
Tetra Tech EM Inc. (Tetra Tech)
Superfund Technical Assessment and
Response Team (START)
1955 Evergreen Blvd.
Building 200, Suite 300
Duluth, GA 30096
E-mail Address: Paul.Prys@tetratech.com
Telephone No.: (678) 775-3106

Mr. John Snyder, PG
Tetra Tech START
1955 Evergreen Blvd.
Building 200, Suite 300
Duluth, GA 30096
E-mail Address: John.Snyder@tetratech.com
Telephone No.: (678) 775-3085

Ms. Michelle Cortes
Georgia Department of Natural Resources
Environmental Protection Division
400 Commerce Center Drive
Brunswick, GA 31523
E-mail Address: michelle.cortes@dnr.state.ga.us
Telephone No.: (912) 264-7284

Mr. Griffith Lynch
Chief Operating Officer
Georgia Ports Authority (GPA)
P.O. Box 2406
Savannah, GA 31402
E-mail Address: glynch@gaports.com
Telephone No.: (912) 964-3955

Ms. Natalie Dawn
Environmental Sustainability Manager
GPA
P.O. Box 2406
Savannah, GA 31402
E-mail Address: ndawn@gaports.com
Telephone No.: (912) 963-5595

Ms. Sarah Killeen, ARM
Insurance Manager
GPA
P.O. Box 2406
Savannah, GA 31402
E-mail Address: ndawn@gaports.com
Telephone No.: (912) 964-3901

Mr. Will Grant, EIT
Environmental International Corporation
161 Kimball Bridge Road
Suite 100
Alpharetta, GA 30009
E-mail Address: wgrant@eicusa.com
Telephone No.: (770) 772-7100 Ext. 227